



AQUA

ALMALEATHER

| | | | | | | | | | |
|---------------------------------|--|---------------|------|---------------|-------|-----------|------|----------------------|------|
| Product | Aqua | | | | | | | | |
| Application | Upholstery, Wall Covering, handrails, handles, accessories | | | | | | | | |
| Origin | European | | | | | | | | |
| Hide Type | Cowhide | | | | | | | | |
| Average Hide Size | 5.1 sqm (55.0 sq t) | | | | | | | | |
| Average Largest Cut Size | 1700mm vertical and 1500mm horizontal | | | | | | | | |
| Thickness | 1.2- 1.3 mm | | | | | | | | |
| Weight | 65 gms / sqft | | | | | | | | |
| Grain | Full Grain | | | | | | | | |
| Texture | Natural Grain | | | | | | | | |
| Tannage | Full Chrome | | | | | | | | |
| Dye | Aniline | | | | | | | | |
| Finish | Aniline | | | | | | | | |
| Industry | Contract, Residential, Hospitality | | | | | | | | |
| Maintenance | This leather can easily soil on upholstery use, Suitable Aniline cleaning product from Alma leather can be used to maintain this leather. Any spillage will sink into this leather and create a permanent stain. | | | | | | | | |
| Certifications | <table> <tr> <td>UNI EN 1021-1</td> <td>Pass</td> </tr> <tr> <td>UNI EN 1021-2</td> <td>Passs</td> </tr> <tr> <td>A.652(16)</td> <td>Pass</td> </tr> <tr> <td>5903/authority NY/NJ</td> <td>Pass</td> </tr> </table> | UNI EN 1021-1 | Pass | UNI EN 1021-2 | Passs | A.652(16) | Pass | 5903/authority NY/NJ | Pass |
| UNI EN 1021-1 | Pass | | | | | | | | |
| UNI EN 1021-2 | Passs | | | | | | | | |
| A.652(16) | Pass | | | | | | | | |
| 5903/authority NY/NJ | Pass | | | | | | | | |


COLOUR BOOK




Coal



Cognac



Nude



Powder



Saddle




Taupe



Wenge



Spruce



Grey